



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

FEB 01 2002

Ms. Kim Marsh
President
AcuLux, Inc.
273 South Airport Pulling Road
Naples, Florida 34104

Re: K013511
Trade/Device Name: XENALight™ Fiberoptic Illuminator
Regulation Number: 878.4580
Regulation Name: Surgical lamp
Regulatory Class: II
Product Code: FSW
Dated: January 8, 2002
Received: January 9, 2002

Dear Ms. Marsh:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

Miriam C. Probst
for Celia M. Witten, Ph.D., M.D.
Director
Division of General, Restorative
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



273 SOUTH AIRPORT PULLING ROAD
NAPLES, FLORIDA USA 3410
PHONE (941) 643-802
FAX (941) 643-802
E-MAIL: mail@aculux.net

Page 1-3


INDICATIONS FOR USE

STATEMENT


DEVICE NAME: XenaLight™ Fiberoptic Illuminator

The XenaLight™ Fiberoptic Illuminator, also known as a lightsource, is attached to a fiberoptic cable transmitting the light to a fiberoptic headlamp, retractor, endoscopic instrument, etc, providing light to the surgical operating field. This light is utilized in many different surgical procedures requiring additional light when overhead lighting is not sufficient.


The fiberoptic cable and/or headlamps are an accessory to the XenaLight™ Fiberoptic Illuminator to transmit the light from the lightsource.



Kim Marsh, President



October 19, 2001



(Division Sign-Off)
Division of General Restorative
and Neurological Devices
510(k) Number K013511

*(Premarket Notification 510(k))